

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
10 February 2005 (10.02.2005)

PCT

(10) International Publication Number  
**WO 2005/012185 A1**

(51) International Patent Classification<sup>7</sup>: **C02F 1/44**  
(21) International Application Number:  
PCT/GB2004/003242

(22) International Filing Date: 28 July 2004 (28.07.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
0317839.9 30 July 2003 (30.07.2003) GB

(71) Applicant (for all designated States except US): **UNIVERSITY OF SURREY** [GB/GB]; Guildford Surrey GU2 7XH (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SHARIF, Adel** [GB/GB]; School of Engineering, University of Surrey, Guildford Surrey GU2 7XH (GB). **AL-MAYAH, Abdul-salam** [IQ/GB]; 11 Grafton Road, Worcester Park Surrey KT4 7QQ (GB).


(74) Agents: **HAYES, Adrian, Chetwynd et al.**; Boulton Wade Tennant, Verulam Gardens, 70 Gray's Inn Road, London WC1X 8BT (GB).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: **SOLVENT REMOVAL PROCESS**



(57) Abstract: A process for removing a solvent from a first solution, said process comprising positioning a selective membrane between the first solution and a second solution having a higher osmotic potential than the first solution, such that solvent from the first solution passes across the membrane to dilute the second solution, and extracting solvent from the second solution, wherein the membrane has an average pore size of at least 10 Angstroms, and wherein the second solution contains solute species that are too large to pass through the pores of the membrane.

WO 2005/012185 A1



**Declaration under Rule 4.17:**

— of inventorship (Rule 4.17(iv)) for US only

**Published:**

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*